|  | Application No.  | Applicant(s)   |
|--|--|--|
| Ý  | 09/883,211   | TURNER ET AL.  |
| Notice of Allowability   | Examiner   | Art Unit   |
|  | Phuoc H. Nguyen  | 2143   |
| The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report of the Office or upon petition by the applicant. See 37 CFR 1.313  | ears on the cover sheet with the country (OR REMAINS) CLOSED in this apport or other appropriate communication is subject to   | plication. If not included will be mailed in due course. THIS  |
| 1. This communication is responsive to <u>September 6, 2005</u> .  |  |  |
| 2. The allowed claim(s) is/are <u>1-3,5-13,15-23,25-33</u> , and 35-3  | <u>39</u> .  | •  |
| <ul> <li>3. Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>   | been received. been received in Application No   |  |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |  | complying with the requirements  |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |  |  |
| <ol> <li>CORRECTED DRAWINGS'( as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner' Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposit of the d</li></ol> | son's Patent Drawing Review (PTO-<br>s Amendment / Comment or in the C<br>.84(c)) should be written on the drawi<br>he header according to 37 CFR 1.121(<br>sit of BIOLOGICAL MATERIAL r | Office action of ngs in the front (not the back) of d). The submitted in the back of the next be submitted. Note the |
|  | ·  |  |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892)  | 5. 🗌 Notice of Informal F  | Patent Application (PTO-152)   |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948)   | 6. ☐ Interview Summary<br>Paper No./Mail Da  |  |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0   | Paper No./Mail Da<br>08), 7. ☐ Examiner's Amendo   | ment/Comment   |
| Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material  | 8. 🖾 Examiner's Stateme  | ent of Reasons for Allowance   |
|  |  | UNITEREY PWU<br>SAMMER   |

Art Unit: 2143

## Examiner's Statement of Reasons for Allowance

- 1. This office action is in response to the application filed on September 6, 2005.
- 2. Applicant amended claims 1-2, 5-6, 10, 15-16, 20, 25-26, 30, and 35-36, and cancelled claims 4, 14, 24, and 34.
- 3. Claims 1-3, 5-13, 15-23, 25-33, and 35-39 are allowed
- 4. Claims include limitations that the prior art of record does not appear to teach or render obvious the claimed limitations as recited below.
- 5. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of records fails to disclose an interface controller including an extensible markup language module configure for identifying user input and response; graphic user interface elements table configured for storing available interface elements including the display elements and input elements, the graphic user interface elements table configured for outputting the identified display elements and input elements based on the first and the second identifiers for the configuration of the user interface.

The closest found prior art is Schuster et al (Hereafter, Schuster) U.S. Patent 6,731,630. Schuster et al. disclose a flexible device with configurable interface that would allow identifying and displaying user's input and response. However, Schuster et al. fail to disclose an interface controller including an extensible markup language module configure for identifying user input and response; graphic user interface elements table configured for storing available interface elements including the display elements and input elements, the graphic user interface elements table configured for outputting

Art Unit: 2143

the identified display elements and input elements based on the first and the second identifiers for the configuration of the user interface, and in combination with other limitations as set forth in the independent claims. Claims 2, 3, 5-9, 11-13, 15-19, 21-23, 25-29, 31-33, and 35-39 are allowed due to dependent claims.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuoc H. Nguyen whose telephone number is 571-272-3919. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley can be reached on 571-272-3923. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2143

Phuoc H Nguyen Examiner Art Unit 2143

October 18, 2005

EFFREY PWU